




X:\dhyikema\land projects r2\Const Details\dwg\2004 City\028b_DTL\2004.dwg 9/21/2006




DESIGN A
PERPENDICULAR RAMP



DESIGN B
PARALLEL RAMP



DESIGN C
COMBINATION RAMP




DESIGN D
DIAGONAL RAMP

CORNER CURB RAMP DESIGNS


(See Curb Ramp Details on Sht. 1/3 for additional requirements.)

Use in existing walks only and when site constraints prohibit other designs. The diagonal ramp may be perpendicular, parallel or combination.


Avoid using where curb radii are less than 20'-0".



DESIGN E
PERPENDICULAR RAMP



DESIGN F
PARALLEL RAMP



DESIGN G
PERPENDICULAR RAMPS
w/o FLARES

MID BLOCK CURB RAMP DESIGNS

(See Curb Ramp Details on Sht. 1/3 for additional requirements.)

REV No.	DATE	BY	DESCRIPTION
2	9/21/06	DAH	General Revision - Re-issue
1	1/10/04	DAH	General Revision - Re-issue

CITY OF WESTLAKE, OHIO
DEPARTMENT OF ENGINEERING

CURB RAMPS

SCALE: NTS
DATE: 1/10/04 DRWN BY: 28b